L Number	Hits	Search Text	DB	Time stamp
5	2	(("5200872") or ("5509786")).PN.	USPAT; US-PGPUB	2004/07/12 12:51
_	1924	(417/26,28,44.1,32,310,410.5).CCLS.	USPAT	2004/07/12 12:51
	0	and compressor and scroll and motor and	USPAT	2001/10/01 09:48
_	15	(high adj voltage) (("417/26,28,44.1,32,310,410.5").CCLS.) and compressor and scroll and motor and	USPAT	2001/05/08 10:03
	13	and compressor and scroll and motor and	USPAT	2001/05/08 11:59
_	10	high and low and voltage (("417/26,28,44.1,32,310,410.5").CCLS.) and compressor and scroll and motor and	USPAT	2001/05/08 12:00
_	1945	high and low and voltage and valve (417/26,28,44.1,32,310,410.5).CCLS.	USPAT	2001/08/23 13:56
_	78	(("417/26,28,44.1,32,310,410.5").CCLS.) and microprocessor	USPAT	2001/08/23 14:09
_	27	l	USPAT	2001/08/23 14:14
_	10	microprocessor and compressor and thermal and protector and sensor and motor and transformer	USPAT	2001/09/27 11:20
_	4	microprocessor and compressor and thermal and protector and sensor and motor and	USPAT	2001/08/23 14:16
_	10	transformer and valve microprocessor and compressor and thermal and protector and sensor and motor and	USPAT	2001/08/23 14:28
_	6	(monitor\$3 or diagnostic) microprocessor and compressor and thermal and protector and sensor and motor and	USPAT	2001/08/23 15:10
-	21	(monitor\$3 or diagnostic) and transformer microprocessor and (scroll adj	USPAT	2001/08/23 15:11
_	3	compressor) microprocessor and (scroll adj compressor) and sensor and voltage	USPAT	2001/08/23 15:11
_	12	microprocessor and (scroll adj compressor) and sensor	USPAT	2001/08/23 15:26
-	1	("5076067").PN.	USPAT	2001/08/23 15:26
_	0	(("5076067").PN.) and low and high and voltage	USPAT	2001/08/23 15:27
-		(("5076067").PN.) and (low or high) and voltage	USPAT	2001/08/23 15:27
_	0		USPAT	2001/08/23 15:27 2001/09/27
_	10	microprocessor and compressor and thermal and protector and sensor and motor and transformer	USPAT	11:22
_	4420		USPAT	2001/09/27
_	6		USPAT	2001/09/27 11:24
_	5	(("4830576") or ("5785013") or ("5893705") or ("5454697") or ("5156535")).PN.	USPAT	2001/10/01 09:43
-	0		USPAT	2001/10/01 09:44
_	1953	(417/26, 28, 44.1, 32, 310, 410.5).CCLS.	USPAT	2001/10/01 09:49
_	79	((417/26,28,44.1,32,310,410.5).CCLS.) and microprocessor	USPAT	2001/10/01 10:40
_	1	("6174136").PN.	USPAT	2001/10/01 10:40
_	1	(("6174136").PN.) and voltage and low and high	USPAT	2001/10/01 10:41

Search History 7/12/04 1:31:42 PM Page 1

_	<u> </u>	(("6174136").PN.) and ((low adj voltage)	USPAT	2001/10/01
		or (high adj voltage))		10:42
_	1635	_	USPAT	2002/02/06
		(hermetic or housing or shell)		14:32
_	1778	microprocessor and compressor and	USPAT	2002/02/06
		(hermetic or housing or shell or casing)	TICDAM	14:33
-	1732	microprocessor and compressor and	USPAT	2002/02/06 14:34
		(hermetic or housing or shell or casing)		Ta. 24
	322	and (inside or within or interior) microprocessor and compressor and	USPAT	2002/02/06
-	322	(hermetic or housing or shell or casing)		15:36
		and (inside or within or interior) and		
		(electric adj motor)		
_	23		USPAT	2002/02/06
		(hermetic or housing or shell or casing)		15:42
		with (inside or within or interior) and		
		(electric adj motor)		0000/00/06
_	3	microprocessor with compressor with	USPAT	2002/02/06
		(inside or within or interior) and		15:47
		(hermetic or housing or shell or casing) and (electric adj motor)		
	0	microprocessor near compressor near	USPAT	2002/02/06
_		(inside or within or interior)		15:48
	0	microprocessor near1 compressor near1	USPAT	2002/02/06
		(inside or within or interior)		15:48
_	0	microprocessor nearl compressor nearl	USPAT	2002/02/06
		(inside or within)		15:49
] -	4	microprocessor near2 compressor near2	USPAT	2002/02/06
		(inside or within)	TTO D & FI	15:52
_	60	_	USPAT	2002/02/06 15:53
	2	(inside or within) ((("6271609") or ("6147465") or	USPAT	2002/02/28
-		("4934041")).PN.) and microprocessor	OSERI	12:37
_	3	• • • • • • • • • • • • • • • • • • • •	USPAT	2002/02/28
		("4934041")).PN.		12:42
-	638	(417/902).CCLS.	USPAT	2002/02/28
			_	12:42
-	1	((417/902).CCLS.) and microprocessor	USPAT	2002/02/28
		///!! 40 C 00 10 !! \ /!! 40 0 40 10 !! \ DN \	TICDAM	12:43 2002/02/28
_	0		USPAT	13:33
	2	microprocessor (("4850812") or ("4204810")).PN.	USPAT	2002/02/28
		(4050012) OI (1201010 //.114.		13:32
_	1794	(310/87,89).CCLS.	USPAT	2002/02/28
				13:33
_	15	((310/87,89).CCLS.) and microprocessor	USPAT	2002/02/28
			TIGD? T	13:33
-	5362	microprocessor and compressor	USPAT;	2002/04/11
			US-PGPUB; EPO; JPO;	13:43
			DERWENT;	
			IBM TDB	·
_	15	microprocessor and (sealed adj	USPAT;	2002/04/11
		compressor)	US-PGPUB;	13:34
		-	EPO; JPO;	
			DERWENT;	
			IBM_TDB	2002/04/22
-	4485	(microprocessor and compressor) and	USPAT;	2002/04/11 13:40
	7	(inside or within)	US-PGPUB USPAT;	2002/04/11
-	'	microprocessor and (compressor adj shell)	US-PGPUB	13:36
_	2533	(microprocessor and compressor) and motor	USPAT;	2002/04/11
		\	US-PGPUB	13:41
-	1717	(microprocessor and compressor) and	USPAT;	2002/04/11
		(shell or housing)	US-PGPUB	13:42
-	309	(microprocessor and compressor) and (low	USPAT;	2002/04/11
		adj voltage)	US-PGPUB	13:42

<u> </u>	5362	microprocessor and compressor	USPAT;	2002/04/11
			US-PGPUB;	13:43
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	314	(microprocessor and compressor) and (low	USPAT;	2002/04/11
		adj voltage)	US-PGPUB;	14:20
ł			EPO; JPO;	
			DERWENT;]
			IBM TDB	
-	2	microprocessor with within adj compressor	USPAT;	2002/04/11
			US-PGPUB;	14:21
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	2	microprocessor adj within adj compressor	USPAT;	2002/04/11
			US-PGPUB;	14:22
	•		EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	2	microprocessor adj within adj2 compressor	USPĀT;	2002/04/11
			US-PGPUB;	14:23
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	0	microprocessor adj inside adj2 compressor	USPAT;	2002/04/11
			US-PGPUB;	14:23
			EPO; JPO;	
			DERWENT;	
			IBM TDB	